Technical Data Sheet

Edition 08/2018 Replaces Ed. 04/2008

Casein Peptone Plus 19544

Definition

Casein Peptone Plus is manufactured by a controlled enzymatic hydrolysis of casein.

Description

Fine cream powder easily soluble in water. Casein Peptone Plus contains a mix of peptides, free amino acids and growth factors.

Use

Source of organic nitrogen and growth factors recommended in media for:

- Analytical microbiology
- Industrial fermentation

Physico-chemical characteristics

ó
0

Microbiology

	Standard	
Total aerobic microbial count	\leq 10 000 /g	
Coliforms	\leq 10 /g	
Escherichia coli	Absence /10g	
Salmonella	Absence / 25 g	
Staphylococcus aureus	Absence / 10 g	
Yeast & Moulds	\leq 20 /g	





Organotechnie S.A.S. 27, avenue Jean Mermoz 93120 La Courneuve, France Tél : +33 (0) 1 49 92 87 50 Fax : +33 (0) 1 49 92 87 51

e-mail : info@organotechnie.com web : http://www.organotechnie.com



Technical Data Sheet



Edition 08/2018 Replaces Ed. 04/2008

Typical data

Molecular weight distribution	g/100g
> 10 000 daltons	0
1 000 - 10 000 daltons	23.8
500 - 1 000 daltons	37.8
300 - 500 daltons	16.1
< 300 daltons	22.3
Avorago Mologular Woight	770 5 deltons

Average Molecular Weight

779.5 daltons

Amino Acids		Free (g/100g)
Alanine	Ala	0.4
Arginine	Arg	2.1
Aspartic Acid	Asp	0.2
Cysteine	Cys	0.2
Glutamic acid	Glu	0.7
Glycine	Gly	0.1
Histidine + Glutamine	His + Gln	0.3
Isoleucine	Ile	0.4
Leucine	Leu	2.6
Lysine	Lys	2.6
Méthionine	Met	0.5
Phénylalanine	Phe	1.7
Proline	Pro	0.2
Sérine + Asparagine	Ser + Asn	0.5
Thréonine + Citruline	Thr + Cit	0.4
Tyrosine	Tyr	0.2
Tryptophane	Trp	0.9
Valine	Val	0.7

Documentation

The certificate of analysis and the sanitary certificate are supplied with each delivery.

Packing and storage

25 kg net corrugated board box with inner polyethylene bags. Upon request: 5 kg plastic drum. Keep in original packaging closed when not in use, at room temperature in a dry area. Hygroscopic product.

Best before: 5 years

Health and safety information

Dusty powder. Avoid inhalation. The information contained in this publication is based on our own research and development work and is to the best of our knowledge true and accurate.

Users should, however, conduct their own tests to determine the suitability of our products for their own specific purposes.

for their own specific purposes. Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for the infringement of any patents.